




ALFRED KINSEY, ANAL SEX AND KINK

- Warning: graphic content



THE HARD SCIENCE ON SEX AND ITS IMPACT ON CHILD AND ADOLESCENT DEVELOPMENT





- Father of the Sex Revolution, d. 1956, thinking he had failed.
- Kinsey's programme: The 'liberation' of sex from its ignorant, guilt-ridden, unhappy past through 'science' and the promotion of happy, healthy, inhibition-free sexuality.
- Kinsey's ideology: Spread via Playboy [pornography], sexual 'health' organisations like the IPPF [International Planned Parenthood Federation] and Comprehensive Sexuality Education [CSE].

LOOKING CLOSER: KINSEY'S IDEOLOGY

- 'Fornicate early; fornicate often; fornicate in every possible way'
- For Kinsey, 'all types of sexual activity---sex with the opposite sex, sex with the same sex, sex with both sexes, sex with children, sex with whips and chains, fisting sex, sex with animals---any kind of sex was normal and common [and good]', Dr Charles Socarides
- Kinsey practiced what he preached, with hundreds+ of (mostly male) sexual partners etc. He struggled with impotence.
- Pornography is vital as the gateway to actual sex, and tutors, grooms and grants permission

AND YET MORE

- Kinsey was a sex addict whose PR spin (AKA 'research'), aided by mainstream media, duped a gullible public. 'Liberating' sex à la Kinsey has contributed to massive increases in STIs, illegitimacy, rape, child sex abuse and family breakdown. His 'research' on child sexuality--- children are sexual beings---was obtained from close contact with several pedophiles who timed these experiments with a stop watch. It has not been replicated elsewhere: e.g. **Table 34.**

A KEY FACTOR IN CSE: KINSEY'S 'RESEARCH' ON CHILD 'SEXUALITY': TABLE 34



AGE	NO. OF ORGASMS	TIME INVOLVED	AGE	NO. OF ORGASMS	TIME INVOLVED
5 mon.	3	?	11 yr.	11	1 hr.
11 mon.	10	1 hr.	11 yr.	19	1 hr.
11 mon.	14	38 min.	12 yr.	7	3 hr.
2 yr.	{ 7	9 min.	12 yr.	{ 3	3 min.
	{ 11	65 min.	12 yr.	{ 9	2 hr.
2½ yr.	4	2 min.	12 yr.	12	2 hr.
4 yr.	6	5 min.	12 yr.	15	1 hr.
4 yr.	17	10 hr.	13 yr.	7	24 min.
4 yr.	26	24 hr.	13 yr.	8	2½ hr.
7 yr.	7	3 hr.	13 yr.	9	8 hr.
8 yr.	8	2 hr.	13 yr.	{ 3	70 sec.
9 yr.	7	68 min.	13 yr.	{ 11	8 hr.
10 yr.	9	52 min.	13 yr.	{ 26	24 hr.
10 yr.	14	24 hr.	14 yr.	11	4 hr.

Table 34. Examples of multiple orgasm in pre-adolescent males

Some instances of higher frequencies.

KINSEY'S MASOCHISM AND YOUNGSTERS

- Why did Kinsey interpret babies' and children's tears, hysteria and fighting the paedophile 'partner' as orgasms? BC of his own masochism
- Also, using this 'data' is like using rapists' experiences to analyse women's sexuality
- No child psychologist or educational theorist in the 20th C. except Kinsey has advocated sex for children

- Kinsey was actually an entomologist. He collected millions of wasps; he knew aspects of human biology but little psychology. He was a masochist who experienced orgasm by inserting foreign objects up his urethra (which he had enlarged by cutting) while masturbating. Beginning with straws, he moved to small then larger pipecleaners, pencils and finally toothbrushes (including the brush end!)
- Kinsey understood the twin processes of de-sensitization and escalation. He once warned: 'Tell your sadomasochist friends to observe great caution. The human body adjusts rapidly and the levels [needed for orgasm] are capable of escalating rapidly' (James Jones, *Kinsey*, 610).

- Kinsey removed his foreskin with a pocketknife (without anaesthesia!)
- Kinsey would tie a rope around his scrotum and tug hard while masturbating; also (as noted) he inserted hard foreign objects up his urethra while masturbating. He relished being filmed in action. In fact being filmed having sex was part of his 'research' team's remit.
- A very low point came in 1954 after his funding request was refused by the Rockefeller Foundation. In his basement office, Kinsey 'tied a strong tight knot around his scrotum with one end of the rope dangling from the [ceiling] pipe overhead. The other end he wrapped around his hand. Then he climbed up on a chair and jumped off, suspending himself in midair' (Jones, 738-9).

ANAL SEX: DANGEROUS FOR ANY INDIVIDUAL




VERY
POPULAR
BROOK, UK
YOUTH
SEXUAL
'HEALTH'
CHARITY

- The Age of Consent in the UK: legally 16, but 13 or increasingly down to 11 or lower if the sex is 'consensual' and involving minimal age differentials.
- According to Brook's 'traffic light tool', for 13- to 17-year-olds, 'normal' behaviour includes pornography and consensual oral or penetrative vaginal and/or anal sex with same or opposite sex partners.

SEXUAL BEHAVIOURS
 TRAFFIC LIGHT TOOL

The
**Sexy
Stuff**



guide for guys who like guys

Young Rainbows

Young Rainbows is a peer led sexual health project for guys who like guys between the ages of 13 and 19 in and around Dorset.

Supported by Over the Rainbow (NHS LGBT drop-in centre) in Bournemouth and Terrence Higgins Trust.



This project was set up by Michael Fanner, a young guy who lives in Dorset, who has written and produced this guide. All of the advice and information in this guide has been read and approved by a number of sexual health doctors and nurses, youth workers, counsellors, psychologists, health promotion and education specialists and young people across the UK.



Special thanks must go to Vicky Papworth for her fantastic support to this project.



YR2008e

'Rimming

Rimming is when someone uses their mouth and tongue to explore someone else's bum. You might cringe at the very thought, but some people enjoy it. Some guys rim as it helps them to relax before penetration. It may be a good idea to prepare yourself before you get rimmed, and your partner* may find this better too. You can do this just by having a wash or shower beforehand.'



'Something to get anal about...

Lots of people have anal sex and for many reasons; some do it as it feels like they can get really close to their partner*, and some do it simply for pleasure.

You might hear guys saying they are a Top or they are a Bottom, or some even say they're Versatile – these are all preferred 'roles'. There are no rules as to which one you should choose to be, nor is there a rule to say you can't change your mind. It's all about preference and keeping yourself safe and happy.'

HOW IS ANAL SEX 'HEALTHY?'

- Increasingly youngsters of both sexes are exploring anal sex. The known outcomes for MSMs [men who have sex with men] indicate serious challenges especially for the more vulnerable teen (e.g. their still developing PFC, developed limbic/amygdala (pleasure centre) and higher levels of sex hormones, for instance).
- Even when MSMs use condoms, according to the **BMJ** (8 Aug 2015) HIV transmission was reduced by 64%, and other STIs by 42%.
- STIs overrepresented in the MSM community. 2% of the pop (ONS 2017), 51% of new HIV, 65% increasingly-hard-to-treat new Gonorrhoea and 82% new Syphilis cases (2018).

HEALTHY?

- Other health issues for MSM, according to the medical health guide, the Sandyford Protocols (Glasgow): MSM are at risk for Hepatitis A (epidemic levels in places, often linked to anonymous/group sex); Hepatitis B (frequent partner exchange, not 'orientation' per se); also Hepatitis C esp. for HIV+MSM. Also other infections like Shigella from anal-oral activity, Herpes and Chlamydia.
- <https://www.sandyford.org/media/2567/msm-ceg-july-2015.pdf>
- The GMFA partners with the NHS and Public Health England. <https://www.gmfa.org.uk/Pages/Category/stis>

HEALTHY?



- According to the Sandyford Protocols, there are risks of ‘anal sphincter disruption. Symptoms: faecal leakage; moist seepage; not normally caused by anal sex unless fisting. Treatment: local measures – hygiene, incontinence aids [i.e nappies]; various surgical procedures, results often disappointing’.
- <https://www.sandyford.org/media/2567/msm-ceg-july-2015.pdf>

HEALTHY?

- ‘Overall MSM have a higher relative risk of anorectal cancers, estimated in one study at 12.4%’.

<https://www.sandyford.scot/media/2567/msm-ceg-july-2015.pdf>

- Poppers or drugs from the alkyl nitrite family are used to relax the anal sphincter for easier sex, but also they ‘expand your blood vessels inside the arse, the chance of anal bleeding increases and makes it easier for HIV to enter the blood stream. Poppers can also influence you to have rougher sex, like fisting, which also increases the chance of bleeding’. <https://www.gmfa.org.uk/poppers>



WHY IS ANAL SEX SO HAZARDOUS?

- The presence of M or microfold cells everywhere which transport HIV etc to the lymphatic system and from there, out to the rest of the body.
- Higher pH, which does not inactivate HIV.
- Only one cell thick, fragile rectal/anal membrane.
- Tissue microtears are common and access to the blood stream easy.
- Stool: Contains pathogens like Salmonella, Shigella, Hep. A, B, C, Giardia etc.



KINK AS ORIENTATION, IDENTITY
AS WELL AS LIFESTYLE. LIKE
ANAL SEX, BDSM IS WIDELY
PRACTICED.

KINK

- Though not all MSMs practice kink, there is overlap. See for instance MSM sexual health authority, the GMFA: <https://www.gmfa.org.uk/fs139-hard-sex-exposed>. See also <https://www.hardcell.org.uk/playroom/> [Terrence Higgins Trust: Warning, graphic].
- For heterosexuals, 'Fifty Shades of Grey', is said to be something of a primer, which combines violent sex inflicted on Ana within a marriage, and birth of a child.

KINKSTERS



- Though various terms are used to describe it, kink is sometimes spoken of as a sexual 'orientation'. Research indicates early awareness (@ 5-10 years of age), often followed by self identification and activity in a kink community. BDSM---bondage, domination, sadomasochism---features in kink: physical control and pain being vital to sex. Urine, faeces and ejaculate (sperm) 'play' is often involved. Fetishes, also part of kink, involve specific non-genital body parts, fabrics, fluids etc. in sex.


<https://www.ncsfreedom.org/>

IN THE UK

In countless UK primary school libraries: *This day in June* – Year 6 – 10 to 11s.

Promoting participation in Gay Pride marches, where 'Leather' gets a special mention, part of the larger LGBT project of 'usualizing' and 'actualising'.





Clad in leather
Perfect weather

IS THIS SUITABLE FOR CHILDREN? LONDON GAY PRIDE



BDSM: FROM RECENT BERLIN, ELY AND TORONTO PRIDES



FROM SEXWISE

- For post-pubertal 13s
- May's Government recommended (2018) this sexual 'health' resource
- See also its other sex list, 'Yes No Maybe' (next slides)
- Both are links from <https://www.sexwise.fpa.org.uk/blog/can-lists-make-your-sex-life-better>

EROTIC MASSAGE

FELLATIO

FETISH PLAY

FINGERING

FISTING

GENDER PLAY

GLORY HOLE

GOLDEN SHOWERS

GROUP SEX

INTERCOURSE

LAP DANCE

MASTURBATION

NIPPLE PLAY

PHONE SEX

PORNOGRAPHY

PROSTATE MASSAGE

QUICKIES

RAINBOW SHOWERS

ROLE PLAY

ROUGH PLAY

SCAT PLAY

SENSORY DEPRIVATION

SEX CLUBS

SEX PARTIES

SHRIMPING

S E M

SPANKING

STRIP TEASE

THREESOMES

TOYS

VIBRATORS

VOYEURISM

[HTTP://WWW.THATOTHERPAPER.COM/FILES/YES_NO
MAYBE.PDF](http://www.thatotherpaper.com/files/yes_no_maybe.pdf)

Yes_No_Maybe.pdf - Adobe Acrobat Reader DC
File Edit View Window Help
Home Tools Yes_No_Maybe.pdf x

1 / 4 115%

Yes-No-Maybe: A Kinky List

Read more about this list:
http://thatotherpaper.com/austin/yes_no_maybe

	Experience? (Yes or No)	Willingness? 0=No 5=Yes	Notes & Nuances
Anal sex			
Beating (hands)			
Beating (padded clubs)			
Being bitten			
Being serviced (sexual)			
Blindfolds			
Body paint			
Bondage (heavy/suspension)			
Bondage (intricate/Japanese style)			
Bondage (light)			

WHAT TURNS YOU ON? YET MORE EXCERPTS FROM 'YES NO MAYBE'

- Bruises Cages (locked inside of) Chains Cock worship Double penetration Face slapping Fisting Flogging Following orders Foot worship Gags (cloth/tape) Hair pulling Nipple play/"torture" Oral/anal play (rimming) Outdoor sex Pain (mild to severe) Pussy/cock whipping/spanking Rubber/latex clothing Spreader bars Strap-on dildos Swallowing semen Swapping (with one other couple) Swinging (multiple couples) Triple Penetration Video (recordings of you) Video (watching others) Voyeurism (watching others) Whips.
- But thankfully, health and safety gets a mention at the end! 'Allergies Medical conditions Aftercare issues Other fun stuff/ideas'.

WHY IS KINK SO RISKY FOR YOUNGSTERS?

- Promotion by sexual 'health' experts of taboo-breaking with no apparent realization of what may befall those who take the advice. For instance, we teach youngsters to wash their hands after going to the loo. Why would any adult tutor them in playing with their poo instead? Is kinksters' poo somehow bacteria-free and 'healthy'?
- Youngsters are physically, mentally and psychologically unready to have sex, any kind of sex, much less SMBD. Their bodies, minds and sexualities are still forming. To normalize pain/power/extreme acts as part of sex 'play' for them is profoundly irresponsible. Who knows where this will lead, except for the need to increase the pain levels in order to have a sexual release (as Kinsey himself admitted)?
- There is no pretence of love, marriage, family: it is all about higher and more intense orgasms. Given the developed adolescent amygdala (pleasure centre) and the still developing PFC (with its evaluation/judgement, delayed gratification, impulse control etc), youngsters are at a huge disadvantage vis-à-vis the more responsible decisions which their adult selves might make. What is even worse is that they do not realize their vulnerability.

KINK AND RISK

- The gay authors of the seminal 'After the Ball', Kirk and Madsen, sounded a similar alarm to Kinsey. According to them, centres in the brain for pain and sex were physically proximate. They believed SMBD was hazardous and a dead end. And they were writing to adults, not adolescents with still developing bodies, minds and identities.
- Corroboration for the addictive nature of 'hard sex', a similar term for SMBD, is found in the GMFA: 'Nearly all of the men in this feature said that the sex they are having is addictive. They look for the next thrill and are constantly trying to outdo their last experience.' Indeed, 'almost everyone we spoke to said that they found this kind of sex addictive, with the majority saying they no longer enjoy vanilla [plain anal] sex.' <https://www.gmfa.org.uk/fs139-hard-sex-exposed>

KINK AND RISK

- More from GMFA:
- ‘I [Pink therapist, Dominic Davies] do sometimes hear about people rupturing internal organs from violent punch fisting, and this is where having chem sex can be an issue, in that it alters one’s pain levels and one’s capacity for thinking clearly about what is safe and sane and healthy. It’s well known that people are more likely to take risks because of the disinhibition they feel when on drugs, and when you combine this with the anesthesia that might come from being high on [SM-produced] endorphins then it is a potent combination for potential physical damage’. <https://www.gmfa.org.uk/fs139-hard-sex-exposed>